according to Regulation (EC) No 1907/2006

## **INTENSIVE Eyelash & Eyebrow Tint ASH GREY**

Revision date: 04.08.2017 Product code: AWAG001 Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

INTENSIVE Eyelash & Eyebrow Tint ASH GREY

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Cosmetics

Restricted to professional users.

#### Uses advised against

none

### 1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax: +49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de

Chemieberatung GmbH Tel.: +49 (0)251/924520-60 www.tge-consult.de

D-48149 Münster

**1.4. Emergency telephone** Tel.: +49 (0) 170 2450126

number:

## **Further Information**

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

INCI:

AQUA, CETEARYL ALCOHOL, GLYCERYL STEARATE SE, OLEAMIDE DEA, AMMONIUM HYDROXIDE, SODIUM CETEARYL SULFATE, SODIUM SULFITE, LANOLIN, P-PHENYLENEDIAMINE, PARFUM, P-AMINOPHENOL, RESORCINOL, 2,6-DIAMINOPYRIDINE, HELIANTHUS ANUUS SEED OIL, LIMONENE,

LINALOOL, CITRAL, GERANIOL

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

### Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



## **Hazard statements**

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 2 of 11

### **Precautionary statements**

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to in accordance with official regulations.

### Special labelling of certain mixtures

EUH208 Contains p-phenylenediamine. May produce an allergic reaction.

### Additional advice on labelling

Labelling according to cosmetic directive.

### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Chemical characterization**

aqueous solution

### **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to Regula	ation (EC) No. 1272/2008 [CLP]				
67762-27-0	Alcohols, C16-18			5 - < 10 %		
	267-008-6					
	Skin Irrit. 2, Eye Irrit. 2; H315 H3	19				
68603-38-3	Diethanolamine Oleic Acid Amide			1 - < 5 %		
	271-653-9		01-2119951823-33			
	Eye Dam. 1; H318					
1336-21-6	Ammonia %			< 1 %		
	215-647-6	007-001-01-2				
	Skin Corr. 1B, Aquatic Acute 1; H					
106-50-3	p-phenylenediamine		< 1 %			
	203-404-7	612-028-00-6				
	Acute Tox. 3, Acute Tox. 3, Acute Aquatic Chronic 1; H331 H311 H3	atic Acute 1 (M-Factor = 1),				
123-30-8	4-aminophenol		< 1 %			
	204-616-2	612-128-00-X				
	Muta. 2, Acute Tox. 4, Acute Tox. H332 H302 H400 H410	uatic Chronic 1; H341				

Full text of H and EUH statements: see section 16.

### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

according to Regulation (EC) No 1907/2006

## INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 3 of 11

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

#### After contact with eves

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

# Unsuitable extinguishing media

High power water jet.

# 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. See protective measures under point 7 and 8.

### 6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

## 6.4. Reference to other sections

See protective measures under point 7 and 8.

## **SECTION 7: Handling and storage**

according to Regulation (EC) No 1907/2006

## INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 4 of 11

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. See section 8.

### Advice on protection against fire and explosion

The product is not: Combustible. Usual measures for fire prevention.

## Further information on handling

Avoid contact with skin, eyes and clothes.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

### Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Protect against: Light. UV-radiation/sunlight. heat. moisture.

#### 7.3. Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL
106-50-3	p-Phenylenediamine	-	0.1		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

### 8.2. Exposure controls





### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Used working clothes should not be worn outside the work area. Street clothing should be stored seperately from work clothing.

### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

## **Hand protection**

Pull-over gloves of rubber.

Suitable material:

CR (polychloroprenes, Chloroprene rubber). (0,5 mm)

NBR (Nitrile rubber). (0,35 mm)

according to Regulation (EC) No 1907/2006

## INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 5 of 11

FKM (fluororubber). (0,4 mm)

PVC (Polyvinyl chloride). (0,5 mm)

Butyl rubber. (0,5 mm)

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

### Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

generation/formation of aerosols

exceeding exposure limit values

Suitable respiratory protective equipment: @0802.B008094

Type

: A/ P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, closed-circuit breathing apparatus must be used!

#### **Environmental exposure controls**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: characteristic

pH-Value: not determined

Changes in the physical state

Initial boiling point and boiling range: not determined
Flash point: not determined

**Explosive properties** 

none

Lower explosion limits: Upper explosion limits:

Ignition temperature: not determined

**Oxidizing properties** 

none

Vapour pressure: not determined

Density: not determined

Water solubility: not determined

Solubility in other solvents

not determined

Viscosity / dynamic: not determined
Solvent content: No information available.

according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 6 of 11

### 9.2. Other information

No information available.

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

Stable under normal storage and handling conditions.

### 10.3. Possibility of hazardous reactions

No information available.

### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

### 10.5. Incompatible materials

Materials to avoid: Reducing agent. Oxidizing agents. Substances and mixtures which, in contact with water, emit flammable gases

### 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

No data available.

### **Acute toxicity**

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 7 of 11

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
67762-27-0	Alcohols, C16-18								
	oral	LD50 mg/kg	10000	Rat	IUCLID				
	dermal	LD50 mg/kg	8000	Rabbit	IUCLID				
68603-38-3	Diethanolamine Oleic Ac	id Amide							
	oral	LD50 mg/kg	>5000		MSDS extern				
1336-21-6	Ammonia %								
	oral	LD50 mg/kg	(350)	Rat.	GESTIS				
	inhalative (4 h) vapour	LC50	(1,4) mg/l	Rat.	RTECS				
106-50-3	p-phenylenediamine								
	oral	LD50	75 mg/kg	Rat. (OECD 420)	ECHA Dossier				
	dermal	ATE mg/kg	300						
	inhalative (4 h) vapour	LC50	0,92 mg/l	Rat. (OECD 403)	ECHA Dossier				
	inhalative aerosol	ATE	0,5 mg/l						
123-30-8	4-aminophenol								
	oral	LD50 mg/kg	671	Rat	ECHA Dossier				
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier				
	inhalative vapour	ATE	11 mg/l						
	inhalative (4 h) aerosol	LC50 mg/l	>3,42	Rat	ECHA Dossier				

## Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

p-phenylenediamine:

Subchronic oral toxicity NOEL = 16 mg/kg (Rat.)

4-aminophenol:

Subchronic oral toxicity NOEL = 10 mg/kg (Rat.)

Lit.: ECHA dossier

## STOT-repeated exposure

according to Regulation (EC) No 1907/2006

## **INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU**

Revision date: 04.08.2017 Product code: AWAG001 Page 8 of 11

Based on available data, the classification criteria are not met.

p-phenylenediamine:

Ames test negative.

OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test) = negative.

Developmental toxicity/teratogenicity NOAEL = 10 mg/kg (Rat.)

4-aminophenol:

No experimental indications of mutagenicity in-vivo exist.

No indications of human carcinogenicity exist.

Developmental toxicity/teratogenicity NOAEL = 100 mg/kg (Rat.)

Diethanolamine Oleic Acid Amide:

No experimental indications of mutagenicity in-vitro exist.

Lit.: ECHA dossier

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
68603-38-3	Diethanolamine Oleic Aci	Diethanolamine Oleic Acid Amide							
	Acute fish toxicity	LC50 mg/l	>1 <=10	96 h		MSDS extern			
106-50-3	p-phenylenediamine								
	Acute fish toxicity	LC50	3,9 mg/l	96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier			
	Acute algae toxicity	ErC50 mg/l	0,478	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier			
123-30-8	4-aminophenol								
	Acute fish toxicity	LC50 mg/l	0,82	96 h	Oryzias latipes (OECD 203)	ECHA Dossier			
	Acute algae toxicity	ErC50 mg/l	>0,253	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier			
	Acute crustacea toxicity	EC50 mg/l	0,182	48 h	Daphnia magna (OECD 202)	ECHA Dossier			
	Fish toxicity	NOEC mg/l	0,55	41 d	Oryzias latipes (OECD 210)	ECHA Dossier			
	Crustacea toxicity	NOEC mg/l	0,206	21 d	Daphnia magna (OECD 202)	ECHA Dossier			
	Acute bacteria toxicity	(29,9 mg/	/I)	3 h	Activated sludge (OECD 209)	ECHA Dossier			

## 12.2. Persistence and degradability

No information available.

according to Regulation (EC) No 1907/2006

## INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 9 of 11

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
123-30-8	4-aminophenol					
	OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F	6%	28	ECHA Dossier		
	Not readily biodegradable (according to OECD criteria)					

### 12.3. Bioaccumulative potential

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67762-27-0	Alcohols, C16-18	7,7
1336-21-6	Ammonia %	-1,38
106-50-3	p-phenylenediamine	-0.839 pH = 8,5
123-30-8	4-aminophenol	-0,09

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
123-30-8	4-aminophenol	10-46	Cyprinus carpio	ECHA Dossier

#### 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

### **Further information**

Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

### Advice on disposal

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

### Waste disposal number of waste from residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

# Waste disposal number of used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

## Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted

according to Regulation (EC) No 1907/2006

## INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 10 of 11

14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

Inland waterways transport (ADN)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

Marine transport (IMDG)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

refer to chapter 6-8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU regulatory information**

2004/42/EC (VOC): No information available.

#### **Additional information**

The preparation is dangerous in the sense of Directive 1999/45/EC.

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

Not subject to regulation 96/82/EC.

# **National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

## Changes

Rev. 1.0 Initial release 04.08.2017

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

according to Regulation (EC) No 1907/2006

## INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 11 of 11

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

#### Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H331 Toxic if inhaled. H332 Harmful if inhaled.

H341 Suspected of causing genetic defects.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains p-phenylenediamine. May produce an allergic reaction.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)