according to Regulation (EC) No 1907/2006

## INTENSIVE Eyelash & Eyebrow Tint BLUE BLACK

Revision date: 04.08.2017 Product code: AWB0001 Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

INTENSIVE Eyelash & Eyebrow Tint BLUE BLACK

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Cosmetics

Restricted to professional users.

### Uses advised against

none

### 1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax: +49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de Chemieberatung GmbH rel.: +49 (0)251/924520-60

Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

**1.4. Emergency telephone** Tel.: +49 (0) 170 2450126

number:

## **Further Information**

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

INCI: AQUA, CETEARYL ALCOHOL, GLYCERYL STEARATE SE, OLEAMIDE DEA, P-PHENYLENEDIAMINE, SODIUM CETEARYL SULFATE, HELIANTHUS ANUUS SEED OIL, AMMONIUM HYDROXIDE, LANOLIN, 2,4-DIAMINOPHENOXYETHANOL SULFATE, SODIUM SULFITE, 2,6-DIAMINOPYRIDINE, PARFUM, LIMONENE, LINALOOL, CITRAL, GERANIOL

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

# 2.2. Label elements

# Regulation (EC) No. 1272/2008

## Hazard components for labelling

p-phenylenediamine

[4-(2-hydroxyethoxy)-1,3-phenylene]diammonium sulphate

Signal word: Warning

Pictograms:



according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 2 of 13

### **Hazard statements**

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

P261 Avoid breathing vapour./Aerosol.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container to in accordance with official regulations.

## Additional advice on labelling

Labelling according to cosmetic directive.

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **Chemical characterization**

in aqueous solution

### **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to Regulat	ion (EC) No. 1272/2008 [CLP]	•			
	Amides, C18-unsatd., N,N-bis(hydi	roxyethyl)		1 - < 5 %		
	700-972-2		01-2119968565-22			
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Ch	ronic 2; H315 H319 H411				
106-50-3	p-phenylenediamine			1 - < 5 %		
	203-404-7	612-028-00-6				
	Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Eye Irrit. 2, Skin Sens. 1, Aquatic Acute 1 (M-Factor = 1), Aquatic Chronic 1; H331 H311 H301 H319 H317 H400 H410					
1336-21-6	Ammonia %		< 1 %			
	215-647-6	007-001-01-2	01-2119488876-14			
	Skin Corr. 1B, STOT SE 3, Aquatic H411	Acute 1 (M-Factor = 1), Aquatic Chr	onic 2; H314 H335 H400			
70643-20-8	[4-(2-hydroxyethoxy)-1,3-phenylen	e]diammonium sulphate		< 1 %		
	274-713-2					
	Acute Tox. 4, Eye Irrit. 2, Skin Sens	s. 1, Aquatic Chronic 2; H302 H319 H	1317 H411			
141-86-6	2,6-Diaminopyridine			< 1 %		
	205-507-2					
_	Acute Tox. 3; H301					

Full text of H and EUH statements: see section 16.

#### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

according to Regulation (EC) No 1907/2006

## INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 3 of 13

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

#### After contact with eves

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

### Unsuitable extinguishing media

High power water jet.

# 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment (refer to section 8).

### 6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 4 of 13

Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Provide adequate ventilation.

Wear suitable protective clothing. See section 8.

## Advice on protection against fire and explosion

Usual measures for fire prevention.

### Further information on handling

Avoid contact with skin, eyes and clothes.

Do not breathe gas/vapour/aerosol.

General protection and hygiene measures: refer to chapter 8

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

## Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Protect against: Light. UV-radiation/sunlight. heat. moisture.

## 7.3. Specific end use(s)

refer to chapter 1.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

# **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL
106-50-3	p-Phenylenediamine	-	0.1		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 5 of 13

## **DNEL/DMEL values**

CAS No	Substance			
DNEL type	·	Exposure route	Effect	Value
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)			•
Worker DNE	L, long-term	inhalation	systemic	73,44 mg/m³
Worker DNE	L, long-term	dermal	systemic	4,16 mg/kg bw/day
Worker DNE	L, long-term	dermal	local	0,0312 mg/cm <sup>2</sup>
Consumer D	NEL, long-term	inhalation	systemic	21,73 mg/m³
Consumer D	NEL, long-term	dermal	systemic	2,5 mg/kg bw/day
Consumer D	NEL, long-term	dermal	local	0,01873 mg/cm²
Consumer D	NEL, long-term	oral	systemic	6,25 mg/kg bw/day
1336-21-6	Ammonia %			
Worker DNE	L, long-term	dermal	systemic	6,8 mg/kg bw/day
Worker DNE	L, acute	dermal	systemic	6,8 mg/kg bw/day
Worker DNE	L, long-term	inhalation	systemic	47,6 mg/m³
Worker DNE	L, long-term	inhalation	local	14 mg/m³
Worker DNE	L, acute	inhalation	systemic	47,6 mg/m³
Worker DNE	L, acute	inhalation	local	36 mg/m³
Consumer D	NEL, acute	dermal	systemic	68 mg/kg bw/day
Consumer D	NEL, long-term	dermal	systemic	68 mg/kg bw/day
Consumer D	NEL, long-term	inhalation	systemic	23,8 mg/m³
Consumer D	NEL, long-term	inhalation	local	2,8 mg/m³
Consumer D	NEL, acute	inhalation	systemic	23,8 mg/m³
Consumer D	NEL, acute	inhalation	local	7,2 mg/m³
Consumer D	NEL, long-term	oral	systemic	6,8 mg/kg bw/day
Consumer D	NEL, acute	oral	systemic	6,8 mg/kg bw/day

## PNEC values

CAS No	Substance		
Environmental compartment			
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)		
Freshwater		0,007 mg/l	
Freshwater (	intermittent releases)	0,032 mg/l	
Marine water	7	0,0007 mg/l	
Freshwater sediment		0,2663 mg/kg	
Marine sediment		0,02663 mg/kg	
Micro-organi	sms in sewage treatment plants (STP)	830 mg/l	
Soil		0,1262 mg/kg	
1336-21-6	Ammonia %		
Freshwater		0,0011 mg/l	
Freshwater (intermittent releases) 0,0068 mg/l			
Marine water		0,0011 mg/l	

# 8.2. Exposure controls

according to Regulation (EC) No 1907/2006

## INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 6 of 13







### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Used working clothes should not be worn outside the work area. Street clothing should be stored seperately from work clothing.

#### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

## Hand protection

Pull-over gloves of rubber.

Suitable material:

CR (polychloroprenes, Chloroprene rubber). (0,5 mm)

NBR (Nitrile rubber). (0,35 mm) FKM (fluororubber). (0,4 mm) PVC (Polyvinyl chloride). (0,5 mm)

Butyl rubber. (0,5 mm)

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

### Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

## Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

generation/formation of aerosols

exceeding exposure limit values

Suitable respiratory protective equipment: Combination filtering device (EN 14387)

Type

: A/ P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, closed-circuit breathing apparatus must be used!

# **Environmental exposure controls**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: characteristic

pH-Value: 10-11 (50% in aqueous solution)

## Changes in the physical state

Melting point: not determined

according to Regulation (EC) No 1907/2006

## INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 7 of 13

Initial boiling point and boiling range: not determined

Flash point: not determined

**Explosive properties** 

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

not determined

not determined

**Oxidizing properties** 

none

Vapour pressure: not determined

Density: not determined

Water solubility: not determined

Solubility in other solvents

not determined

Viscosity / dynamic: not determined
Viscosity / kinematic: not determined
Flow time: not determined
Vapour density: not determined

9.2. Other information

Solid content: not determined

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No information available.

### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

#### 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

# 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## Toxicocinetics, metabolism and distribution

No data available.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 8 of 13

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
	Amides, C18-unsatd., N,	N-bis(hydro	xyethyl)			
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier	
106-50-3	p-phenylenediamine					
	oral	LD50	75 mg/kg	Rat. (OECD 420)	ECHA Dossier	
	dermal	ATE mg/kg	300			
	inhalative (4 h) vapour	LC50	0,92 mg/l	Rat. (OECD 403)	ECHA Dossier	
	inhalative aerosol	ATE	0,5 mg/l			
1336-21-6	Ammonia %					
	oral	LD50 mg/kg	(350)	Rat.	GESTIS	
	inhalative (4 h) vapour	LC50	(1,4) mg/l	Rat.	RTECS	
70643-20-8	[4-(2-hydroxyethoxy)-1,3	-phenylene]	diammonium	sulphate		
	oral	ATE mg/kg	500			
141-86-6	2,6-Diaminopyridine					
	oral	LD50 mg/kg	100	Rat.	MSDS extern	

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

# Sensitising effects

May cause an allergic skin reaction. (p-phenylenediamine; [4-(2-hydroxyethoxy)-1,3-phenylene]diammonium sulphate)

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

p-phenylenediamine (CAS No. 106-50-3):

In vivo mutagenicity/genotoxicity: No experimental indications of in vivo mutagenicity exist.

Developmental toxicity/teratogenicity:

Exposure time: 20d Species: Rat.

Method: OECD Guideline 414
Result: NOAEL = 10 mg/kg(bw)/day
Literature information: ECHA Dossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2):

In vitro mutagenicity/genotoxicity: No experimental indications of mutagenicity in-vitro exist.

Carcinogenicity: Exposure time: 2 years Species: Mouse

Method: no guideline followed Result: NOAEL = 30 mg/kg(bw)/day Literature information: ECHA Dossier

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 9 of 13

Based on available data, the classification criteria are not met.

p-phenylenediamine (CAS No. 106-50-3):

Subchronic oral toxicity: Exposure time: 90d Species: Rat.

Method: OECD Guideline 408
Result: NOAEL = 16 mg/kg(bw)/day
Literature information: ECHA Dossier

[4-(2-hydroxyethoxy)-1,3-phenylene]diammonium sulphate (CAS No. 70643-20-8):

Subchronic oral toxicity: Exposure time: 90d Species: Rat.

Method: OECD Guideline 408
Result: NOAEL = 20 mg/kg(bw)/day
Literature information: ECHA Dossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2):

Subchronic dermal toxicity:

Exposure time: 90d Species: Rat.

Method: no guideline followed

Result: NOAEL = 100 mg/kg(bw)/day (systemic); 25 mg/kg(bw)/day (local)

Literature information: ECHA Dossier

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

# Specific effects in experiment on an animal

No data available.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

according to Regulation (EC) No 1907/2006

# **INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ**

Revision date: 04.08.2017 Product code: AWB0001 Page 10 of 13

CAS No	Chemical name						
	Aquatic toxicity Dose		[h]   [d] Species		Source	Method	
	Amides, C18-unsatd., N,N	N-bis(hydrox	(yethyl)				
	Acute fish toxicity	LC50	5,1 mg/l	96 h	Danio rerio	ECHA Dossier	
106-50-3	p-phenylenediamine						
	Acute fish toxicity	LC50	3,9 mg/l	96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	0,478	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier	
1336-21-6	Ammonia %						
	Acute fish toxicity	LC50 mg/l	0,89	96 h	Oncorhynchus mykiss	MSDS external	
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	MSDS external	
	Crustacea toxicity	NOEC mg/l	0,79	3 d	Daphnia magna	MSDS external	
70643-20-8	[4-(2-hydroxyethoxy)-1,3-	phenylene]	diammonium	sulphate			
	Acute algae toxicity	ErC50 mg/l	36,5	72 h	Pseudokirchnerella subcapitata	ECHA dossier	
	Acute crustacea toxicity	EC50 mg/l	7,40	48 h	Daphnia magna	ECHA dossier	

## 12.2. Persistence and degradability

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation		-				
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)						
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	86%	28	ECHA Dossier			
	Readily biodegradable (according to OECD criteria).	-					

## 12.3. Bioaccumulative potential

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)	>6
106-50-3	p-phenylenediamine	-0.839 pH = 8,5
1336-21-6	Ammonia %	-1,38
70643-20-8	[4-(2-hydroxyethoxy)-1,3-phenylene]diammonium sulphate	-0,54
141-86-6	2,6-Diaminopyridine	0,25

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Other adverse effects

No data available.

## **Further information**

Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

according to Regulation (EC) No 1907/2006

## INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 11 of 13

### 13.1. Waste treatment methods

### Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

## Waste disposal number of waste from residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

### Waste disposal number of used product

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

## Inland waterways transport (ADN)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

#### Marine transport (IMDG)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

according to Regulation (EC) No 1907/2006

## INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 12 of 13

#### 14.6. Special precautions for user

Not restricted

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not restricted

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU regulatory information**

2010/75/EU (VOC): not determined 2004/42/EC (VOC): not determined

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

#### **Additional information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

#### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

## Changes

Rev. 1.00; Initial release: 04.08.2017

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Product code: AWB0001 Revision date: 04.08.2017 Page 13 of 13

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

### Relevant H and EUH statements (number and full text)

	,
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Very toxic to aquatic life with long lasting effects. H410 H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)